

Some 50 other species were collected with this list

COLORADO FLORA. M. Jones 1878

Picea

Engelm.

- ~~Engelmanni, Payt.~~
subalpina.
Abronia cycloptera, Gray.
fragrans, Nutt.
Acer glabrum, Torr.
Achillea Millefolium, L.
Aconitum nasutum, Fisch.
Actaea spicata, L., var. arguta.
Actinella acaulis, Nutt.
grandiflora, T. & G.
Richardsonii, Nutt.
scaposa, Nutt.
Adoxa Moseatellina, L.
Agrimonia Eupatoria, L.
Agrostis scabra, Willd.
varians. *f. Pa.*
Allium cernuum, Roth.
reticulatum, Fras.
Nuttallii, Watson.
Alnus incana, Willd.
Alopecurus aristulatus, Mx.
Amarantus albus, L.
blitoides, Watson.
retroflexus, L.
Ambrosia psilostachya, DC.
trifida, L.
Amelanchier Can., var. alnifolia
Ammannia latifolia, L.
Amorpha fruticosa, Nutt.
Ampelopsis quinquefolia, Mx.
Andropogon angustus, DC.
fasciculatus, Muhl.
scoparius, Mx.
Androsace septentrionalis, L.
Anemone multifida, DC.
patens, L. var. Nuttalliana.
Pennsylvanica, L.
Antennaria alpina, Gærtn.
Carpathica, R. Brown, var.
pulcherrima, Hook.
dioica, Gærtn.
Aphyllon fasciculatum, T. & G.
Apocynum cannabinum, L.
androsæmifolium, L.
Aplopappus Fremontii, Gray.
inuloides, T. & G.
Parryi, Gray.
pygmæus, Gray.
~~radicans, T. & G.~~
spinulosus, DC.
Aquilegia caerulea, Torr.
vulgaris, L. *v. v.*
Arabis Drummondii, Gray.
hirsuta, Scop.
retrofracta, Grah.
Aralia nudicaulis, L.
Archangelica atropurp., Hoffm.
Gmelini, DC.
Aretostaphylos Uva-ursi, Spr.
Arenaria arctica, Stev.
Fendleri, Gray.
" var. subcongesta, Wat.
" var. effusa, Porter.
lateriflora, L.
verna, L.
Rossii, R. Br.
Arceuthobium robustum, Eng.
Archemora Fendleri, Gray.
Argemone hispida, Gray.
Aristida oligantha, Mx.
purpurea, Nutt., var.
Fendleri.
Arnica angustifolia, Wahl.
cordifolia, Hook.
latifolia, Bong.
mollis, Hook.
Artemisia arctica, Less.
~~Engelm.~~, Pan.
Canadensis, Mx.

- Artemisia filifolia, Torr.*
dracunculoides, Pursh.
frigida, Willd.
Ludoviciana, Nutt., typical
form and 3 varieties.
scopulorum, Gray.
glomerata, Gray.
Norvegica, L.
tridentata, Pursh.
binnis, L.
Asclepias speciosa, Torr.
ovalifolia, Decaisne.
verticillata, L., var.
Aspidium Filix-mas, Swz.
Asplenium Trichomanes, L.
septentrionale, L.
Aster Fendleri, Gray.
adscendens, Lindl.
" var. ciliatifolius, T. & G.
" var. Fremontii, T. & G.
" var. Parryi, Watson.
ericoides, L., var. strictus.
Coloradensis, Gray.
Nuttallii, T. & G.
glacialis, Nutt.
glaucus, T. & G.
laevis, L.
multiflorus, Ait.
Novæ-Angliæ, L.
ptarmicoides, T. & G.
salsuginosus, Rich.
Astragalus aboriginum, Rich.
adsurgens, Pall.
alpinus, L.
bisulcatus, Gray.
campestris, Gray.
Canadensis, L.
caryocarpus, Ker.
decumbens, Gray.
diversifolius, Gray.
Drummondii, Dougl.
flexuosus, Dougl.
hypoglossis, L.
iodanthus, Watson.
Kentrophyta, Gray.
lotiflorus, Hook.
microlobus, Gray.
Missouriensis, Nutt.
multiflorus, Gray.
oroboides, Hornem., var.
americanus, Gray.
Parryi, Gray.
pietus, Gray., var.
tumidifolius, Gray.
racemosus, Pursh.
Shortianus, Nutt.
sparsiflorus, Gray.
triflorus, Gray.
Atriplex patula, L.
Bahia oppositifolia, T. & G.
Beckmannia erucaeformis, Host
Berberis Aquifolium, Pursh.
Betula g'andulosa, Mx.
occidentalis, Hook.
Blitum capitatum, L.
Bidens chrysanthemoides, Mx.
frondosa, L.
bipinnata, L.
Bigelowia Bigelovii, Gray.
Douglasii, Gray.
var. bitifolia, Gray.
var. tortifolia, Gray.
graveolens, Gray. *v. v.*
Howardii, Gray.
Parryi, Gray.
Borrichia *Baragia*
Bouteloua eurytipendula, Gray.
oligostachya, Torr.

- Brickellia Californica, Gray.*
grandiflora, Natt.
Bromus ciliatus, L. *and* var. pur-
gans, L.
breviaristatus, Thurber? *Q 615*
Brunella vulgaris, L.
Buchloe dactyloides, Eng. *J 65*
Calamagrostis Canadensis, Bv.
stricta, Trin. *16A*
Calandrinia pygmaea, Gray.
Callitricha verna, L.
Calochortus Gunnisoni, Watson
Caltha leptosepala, DC.
Calystegia sepium, R. Br.
Camelina sativa, Crantz.
Campanula uniflora, L.
Langsdorffiana, Fisch.
rotundifolia, L.
Capsella Bursa-pastoris, M'neh
Cardamine cordifolia, Gray.
Carum Gairdneri, B. & H.
Castilleja breviflora, Gray.
integra, Gray.
linariaefolia, Benth.
pallida, Kth and two forms
called varieties.
sessiliflora, Pursh.
Catabrosa aquatica, Beauv.
Ceanothus Fendleri, Gray.
ovalis, Bigelow.
ovatus, Desf.
Cenchrus tribuloides, L.
Cercocarpus parvifolius, Nutt.
Cerastium arvense, L.
vulgatum, L., var. Beh-
ringianum, Gray.
nutans, Raf., var. brachy-
podium, Eng.
Cereus viridiflorus, Eng.
Chaenactis Douglasii, H. & A.
Chara, two species not named.
Cheilanthes Fendleri, Hook.
lanuginosa, Nutt.
tomentosa, Link.
Chenopodium album, L.
Fremontii, Watson.
hybridum, L.
leptophyllum, Watson.
Chionophila Jamesii, Benth.
Chrysopsis villosa, Nutt. 3 vars.
Cicuta maculata, L.
Circaea Pacifica, Gray.
Cnicus Drummondii, var. ac-
aulescens, Gray.
ericephalus, Gray.
Parryi, Gray.
undulatus, L.
Claytonia arctica, Adams.
Caroliniana, Mx.
Chamissonis, Esch. & Led.
Clematis alpina, L., var. Och-
otensis, Gray.
Douglasii, Hook.
ligusticifolia, Nutt.
Scottii, Porter.
Cleome integrifolia, T. & G.
Collomia parviflora, Dougl.
Collomia gracilis, Dougl.
linearis, Nutt.
longiflora, Gray.
Comandra pallida, DC.
Convolvulus lobatus, Eng. & G.
Corispermum hyssopifolium, L.
Cornus stolonifera, Mx.
Corydalis aurea, var. montana.
Corylus rostrata, Ait.
Crataegus Douglasii, Lindl?
(2 widely different forms.)
Cryptogramme acrostichoides.

Crepis acuminata, Nutt.
 runcinata, T. & G.
Croton Texensis, Mull.
Cucurbita perennis, Gray.
Cuscuta decora, Chois. & Eng.
 Gronovii, var. *curta*, Eng.
Cymopterus alpinus, Gray.
 glomeratus, DC.
 montanus, Nutt.
Cycloloma platyphyllum, Moq.
Cyperus inflexus, Muhl.
 Schweinitzii, Torr.
Cystopteris fragilis, Bernh.
Dalea Jamesii, Torr.
Danthonia sericea, Nutt.
Delphinium azureum, Mx.
 Menziesii, DC.
 scopulorum, Gray.
Diplopappus ericoides, T. & G.
Dodecatheon Meadia, L.
Draba alpina, L.
 aurea, Vahl.
 crassifolia, Grah.
 nemorosa, var. *lutea*, Gray.
 " var.?
 Caroliniana, Walt., v. *microcarpa*, Nutt.
 streptocarpa, Gray.
 " var.?
Dracocephalum parviflorum.
Dryas octopetala, L.
Dysodia chrysanthemoides, Lag.
Echinocystis lobata, T. & G.
Echinospermum deflexum, Leh.
 Redowskii, Lehm.
 leiocarpum, Watson.
Eleocharis acicularis, R. Br.
 palustris, R. Br.
Ellisia Nyctelea, L.
Elymus arenarius, Nutt.
 Canadensis, L.
 Sitanion, Schult.
 triticoides, Nutt.
 Virginicus, L.
Elyna spicata, Schk.
Epilobium alpinum, L.
 angustifolium, L.
 latifolium, L.
 organifolium.
 palustre, L.
 coloratum, Muhl.
Equisetum pratense, Ehrh.
Eragrostis poaeoides, Bv., var.
 megastachya, Gray.
 Purshii, Bernh.
Erigeron armeriaefolium, Turez.
 Bellidiastrum, Nutt.
 Canadense, L.
 canum, Gray.
 compositum, Pursh.
 divergens, T. & G.
 flagellaris, Gray.
 macranthum, Nutt.
 concinnum, T. & G.
 ursinum, Eaton.
 uniflorum, L.
 radicatum.
Eriogona cuspidata, Nutt.
Eriogonum alatum, Torr.
 annuum, Nutt.
 corymbosum, Benth.
 cernuum, Nutt.
 flavum, Nutt.
 Gordoni, Benth.
 Jamesii, Benth.
 " var.?
 microthecum, Nutt., var.
 Fendlerianum, Benth.
 " var. *effusum*, T & G.
 pauciflorum, Pursh.
 umbellatum, Torr.
Eriophorum polystachyon, L.

Eritrichium aretioides, Hook.
 crassisepalum, Torr.
 glomeratum, DC., var.
 virgatum, Porter.
 Jamesii, Torr.
 villosum, DC., var.
Erysimum asperum, DC., var.
 Arkansanum, Nutt.
 var. *pumilum*, Watson.
 cheiranthoides, L.
Eupatorium purpureum, L.
Euphorbia dictyosperma, Eng.
 Fendleri, T. & G.
 glyptosperma, Eng.
 hexagona, Nutt.
 marginata, Pursh.
 montana, Eng.
 petaloidea, Eng.
 revoluta, Eng.
 serpyllifolia, Pers.
 stictospora, Eng.
Eurotia lanata, Moq.
Evernia vulpina, Wulf.
Evolvulus argenteus, Pursh.

Fallugia paradoxa, Torr.
Festuca tenella, Willd.
 ovina, L., var. *duriuscula*.
Fragaria vesca, L.
 Virginiana, Ehrh. (f. typ.)
Franseria Hookeriana, Nutt.
 tenuifolia, Gray.
Froelichia Floridana, Moq.
Frasera speciosa, Dougl.
Gaillardia aristata, Pursh.
 pinnatifida, Torr.
Galium boreale, L.
 triflorum, Mx.
Gaura coccinea, Nutt.
 parviflora, Dougl.
Gayophytum racemosum, T & G.
 ramosissimum, T. & G.
Gentiana affinis, Smith.
 Amarella, L.
 barbellata, Eng.
 frigida, Haenke, var. *algida*, Pall.
 humilis, Stev.
 Parryi, Eng.
Geranium Fremontii, Torr.
 Richardsonii, F. & M.
Geum Rossii, Seringe.
 macrophyllum, Willd.
 striatum, Ait.
 triflorum, Pursh.
 rivale, L.
Gilia aggregata, Spreng.
 ineonspicua, Dougl.
 pinnatifida, Nutt.
 pungens, Benth.
Glyceria airoides, Thurber.
 maritima, Wahl.?
 nervata, Trin.
Glycyrrhiza lepidota, Nutt.
Gnaphalium luteo-album, L.
 strictum, Gray.
Graphephorum flexuosum, Th'
Grindelia squarrosa, Dunal.
Gutierrezia Euthamiae, T. & G.
Habenaria hyperborea, Gray.
 obtusata, Lindl.
Hedeoma Drummondii, Benth.
 hispida, Pursh.
Helenium autumnale, L.
Helianthus lenticularis, Dougl.
 Nuttallii, Gray.
 petiolaris, Nutt.
 pumilus, Nutt.
 " ?
 rigidus, Desf.
Heliotropium Curassavicum, L.
Heracleum lanatum, Mx.

Heuchera bracteata, Seringe.
 Hallii, Gray.
 parviflora, Nutt.
Hieracium triste, Willd.
Hierochloa borealis, R. & S.
Hippuris vulgaris, L.
Hordeum jubatum, L.
 pratense, Hudson.
Humulus Lupulus, L.
Hydrophyllum Fendleri, Gray.
 occidentale, Gray, var.
Hymenopappus tenuifolius, Ph.
Hypericum Seouleri, Hook.
Ipomoea leptophylla, Torr.
Iris tenax, Dougl. ?
Iva axillaris, Pursh.
 xanthiifolia, Gray.
Jamesia Americana, T. & G.
Juncea alpinus, Vill.
 Balticus, Deth.
 bufonius, L.
Drummondii, E. Meyer.
 longistylis, Torr.
Mertensianus, Bong.
 nodosus, L., v. *megacephalus*, Torr.
 tenuis, Willd.
 triglumis, L.
 xiphioides, E. Meyer, var.
 montanus, Eng.
Juniperus Virginiana, L.
 occidentalis, Hook.
Kalmia glauca, Ait.
Koeleria cristata, Pers.
Kuhnia eupatorioides, L., var.
 gracilis, T. & G.
Lactuca Ludoviciana, DC.
Lathyrus linearis, Nutt.
 ornatus, Nutt.
 palustris, L.
 polymorphus, Nutt.
Leersia oryzoides, Swz.
Lemna minor, L.
Lepachys columnaris, T. & G.
Lepidium intermedium, Gray.
 " ?
 montanum, Nutt.
 Virginicum, L.
Lepturus paniculatus, Nutt.
Leucoerisum montanum, Nutt.
Liatris punctata, Hook.
Ligusticum apiifolium, H. & B.
 scopulorum, Gray.
Lilium Philadelphicum, L.
Limosella aquatica, L.
Linaria Canadensis, Spreng.
Linnaea borealis, Gronov.
Linum perenne, L.
Listera cordata, R. Br.
Lithospermum angustifolium, Mx.
 multiflorum, Torr.
Lloydia serotina, Reich.
Lobelia syphilitica, L.
Lonicera involuerata, Banks.
Lophanthus anisatus, Benth.
Lowellia aurea, Torr.
Lupinus argenteus, Pursh, var.
 decumbens, Watson.
 caespitosus, Nutt. fruit.
 parviflorus, Nutt.
 pusillus, Pursh.
Luzula spadicea, DC., var. *parviflora*, Ledeb.
 spicata, Desv.
Lychnis apetala, L.
 Drummondii, Watson.
Lycopus sinuatus, Ell.
Lygodesmia juncea, Don.
Lysimachia ciliata, L.
Lythrum alatum, Pursh.
Malvastrum coccineum, Gray.
Medicago sativa, L.

- Machaeranthera canescens*, Gr.
 var. *latifolia*, Gray.
tanacetifolia, Nees.
Melampodium cinereum, DC.
Mentha Canadensis, L.
Mentzelia albicaulis, Dougl.
multiflora, Nutt.
nuda, T. & G.
Mertensia alpina, Don.
brevistyla, Watson.
lanceolata, Gray.
Sibirica, Don.
Mimulus floribundus, Dougl.
Jamesii, Torrey, var. *Freemontii*, Benth.
luteus, L.
Mitella pentandra, Hook.
Mollugo verticillata, L.
Monarda aristata, Nutt.
fistulosa, L.
Monardella odoratissima, B'th.
Monolepis chenopodioides, Moq.
Montelia tamariscina, Gray.
Muhlenbergia gracilis, Gr., var.
Fendleri.
gracillima, Torr.
glomerata, Trin. ? = "1986,
 C. Wright; collected in New
 Mexico by Wright and tick-
 eted as above but I think
 must be a new species." - Vasey
sylvatica, T. & G.
Texana, Thurber.
Mulgedium pulchellum, Nutt.
Munroa squarrosa, Torr.
Musenium divaricatum, Nutt.
Myosurus minimus, L.
Nabalus racemosus, Hook.
Nasturtium obtusum, Nutt.
officinale, R. Br.
palustre, DC.
sinuatum, Nutt.
Negundo aceroides, Moench.
Neillia Torreyi, Watson.
Notholaena Fendleri, Kunze.
Obione argentea, Moq.
canescens, Moq.
confertifolia, Torr.
Oenothera albicaulis, Nutt.
biennis, L.
caespitosa, Nutt.
coronopifolia, T. & G.
pinnatifida, Nutt.
serrulata, Nutt.
Onosmodium Carolinianum, DC.
Opuntia Missouriensis, DC.
Orthocarpus luteus, Nutt.
Oryzopsis asperifolia, Moq.
mierantha, Thurber.
Osmorrhiza nuda, Torr.
Oxalis stricta, L.
Oxybaphus angustifolius, Sweet.
nyctagineus, Sweet.
 var. *Cervantesii*, Gray.
Oxyria digyna, Campd.
Oxytropis campestris, L.
deflexa, DC.
Lamberti, Pursh.
multiceps, Nutt.
splendens, Dougl.
Pachystima Myrsinites, Raf.
Panicum capillare, L.
Crus-galli, L.
dichotomum, L.
pauciflorum, Ell.
virgatum, L.
Parietaria Pennsylvanica, Muhi.
Parnassia parviflora, DC.
Paronychia Jamesii, T. & G.
pulvinata, Gray.
sessiliflora, Nutt.
Pectis angustifolia, Torr.
Pedicularis bracteosa, Benth.
Canadensis, L.
crenulata, Benth.
Groenlandica, Retz.
Parryi, Gray.
procera, Gray.
racemosa, Dougl.
scopulorum, Gray.
Pellaea atropurpurea, Link.
Peltigera aphthosa, Hoffm.
Pentstemon acuminatus, Dougl.
albidus, Nutt.
caeruleus, Nutt.
Fremontii, Gray.
glaber, Pursh.
gaucus, Grah.
Hallii, Gray.
humilis, Nutt.
secundiflorus, Benth.
Pericome caudata, Gray.
Petalostemon violaceus, Mx.
macrostachys, Torr.
Peucedanum nudicaule, Nutt.
Phacelia circinata, Jacq.
glandulosa, Gray.
Popei, T. & G.
sericea, Gray.
Phalaris Canariensis, L.
Phleum alpinum, L.
pratense, L.
Phlox caespitosa, Nutt., var.
condensata, Gray.
longifolia, Nutt.
Physalis lobata, Torr.
Pennsylvanica, L.
viscosa, L.
Physaria didymocarpa, Gray.
Picea pungens, Eng.
Pinus aristata, Eng.
contorta, Eng.
flexilis, James.
ponderosa, Dougl.
Placodium elegans, (Link) Nyl.
Plantago eriopoda, Torr.
Patagonica, Jacq., var.
gnaphaloides, Gray.
 var. *aristata*, Gray.
Pleuraphis Jamesii, Torr.
Pleurogyne rotata, Griseb.
Poa Andina, Nutt.
 " ?
abbreviata.
alpina, L.
 " ?
arctica, R. Br. ?
arctica or *laxa*, Haenke.
caesia, Smith.
 " ?
 " var. *strictior*, Gray.
flexuosa, Muhl., var. ?
 " var. *occidentalis*, G.
laxa, Haenke.
pratensis, L.
 " ?
 " var.
serotina, Ehrh.
tenuifolia, Nutt.
 " ?
Polanisia uniglandulosa, DC.
Polemonium caeruleum, L., var.
foliosissimum, Gray.
confertum, Gray.
 var. *mellitum*, Gray.
viscosum, Nutt.
Polygonum amphibium, L., var.
terrestre, Willd.
acere, L.
aviculare, L.
Bistorta, L., var. *oblongifolium*, Meisn.
Convolvulus, L.
dumetorum, L.
Polygonum incernatum, Ell.
ramosissimum, Mx.
tenue, Mx.
 " var. *viviparum*, L.
Polypodium vulgare, L. (A very
 reduced form, alt. 8,800 ft.)
Populus balsamifera, L., var.
angustifolia, Watson.
 var. *candicans*, Gray.
tremuloides, Mx.
Portulaca oleracea, L.
Potamogeton natans, L.
Vaseyi, Robbins.
 " ?
 " ?
Potentilla Anserina, L.
fruticosa, L.
glandulosa, Lindl.
gracilis, Dougl.
Hippiana, Lehm.
humifusa, Nutt.
nivea, L.
Norvegica, L.
Pennsylvanica, L., var.
strigosa, Pursh.
Plattensis, Nutt.
paradoxa, Nutt.
Primula angustifolia, Torr.
Parryi, Gray.
Prunus Americana, Marshall.
Chicasa, Mx.
Pennsylvanica, L.
Virginiana, L.
Pseudotsuga Douglasii, Corr.
Psoralea argophylla, Nutt.
floribunda, Nutt.
lanceolata, Pursh.
Pteris aquilina, L.
Pyrola rotundifolia, L.
secunda, L.
Pyrus sambucifolia, Ch. & Sch.
Quercus alba, L., var. *Gunnisoni*, Torr.
Ranunculus adoneus, Gray.
 affinis, R. Br., var. *cardiophyllus*, Gray.
 var. *leiocarpus*, Traut.
aquatalis, L., var. *stagnilis*, DC.
Flammula, L., var. *reptans*.
hyperboreus, Rottb., var.
natans, C. A. Mey.
Nuttallii, Gray.
repens, L.
sceleratus, L.
Rhus aromatica, Ait., var. *trilobata*, Gray.
glabra, L.
Toxicodendron, L.
Ribes aureum, Pursh.
cereum, Dougl.
hirtellum, Mx.
laeustre, Poir.
leptanthum, Gray.
prostratum, L'Her.
Rosa blanda, Ait.
Rubus deliciosus, Torr.
strigosus, Mx.
Rudbeckia hirta, L.
laciniata, L.
Rumex Acetosella, L.
longifolius, DC.
salicifolius, Weinm.
venosus, Pursh.
Sagittaria variabilis, Eng.
Salix arctica, Pall., var. *petaea*, Anders.
chlorophylla, And.
cordata, Muhl.
desertorum, And.
longifolia, Muhl., var. *argophylla*, Nutt.

Salix irrorata, And.
nigra, Marsh., var. *amygdaloides*, And.
Novae-Angliae, And., var. *pseudo-cordata*, And.
reticulata, L.
rostrata, Richards.
Salvia lanceolata, Willd.
Sambucus racemosa, L., var. *pubens*, Watson.
Sanieula Marilandica, L.
Saponaria Vaccaria, L.
Saxifraga bronchialis, L.
caespitosa, L.
cernua, L.
debilis, Eng.
flagellaris, W.
nivalis, L.
punctata, L.
rivularis, L.
serpyllifolia, Pursh.
trieuspilosa, Gray.
Scirpus parviflorus, Lightf.
pungens, Vahl.
valique, Vahl.
Serophularia nodosa, L.
Scutellaria resinosa, Torr.
Sedum thianthum, Gray.
Rhodiola, DC.
stenopetalum, Pursh.
Aginella rupestris, Spring.
Meccio amplexens, Gray.
Andinus, Nutt.
aureus, L., var. *eroceus*, G.
var. *Balsamitae*, T & G.
var. *obovatus*, T. & G.
canus, Hook.
cernuus, Gray.
eremophilus, Richards.
filifolius, Nutt.
Fremontii, T. & G.
longilobus, Benth.
lugens, Richards, var. *exaltatus*, Eaton.
var. *Hookeri*, Eaton.
triangularis, Hook.
rapifolius, Gray.
Seseli Hallii, Gray.
Setaria Italica, Kunth.
viridis, Beauv.
glauca, Beauv.
caudata.
Sibbaldia procumbens, L.
Sida lecea malvaeflora, Gray.
Silene acaulis, L.
Sisymbrium caucasicum, Nutt.
inecum, Eng.
var.
Sisyrinchium muconatum, Mx
Smelowskia calycina, Meyer.
Smilacina racemosa, Desf., var. *amplexicaulis*, Watson.
stellata, Desf.

Solanum nigrum, L.
rostratum, Dun.
triflorum, Nutt.
Solidago Guiradonis, Gray, var. *spectabilis*, Eaton.
lanceolata, L.
Missouriensis, Nutt.
nemoralis, Ait.
var. *mollis*, Bartl. (?)
var. ? (peculiar form.)
rigida, L.
speciosa, Nutt., var. *angustata*, Gr. ? (Gray.)
Virga-aurea, L. (typ. f'm)
var. *multiradiata*, T & G.
var. *alpina*, Big.
gigantea, Ait. ? (Gray.)
Sophora sericea, Pursh.
Sorghum avenaceum, Chap. ?
entulus, Gray.
Sparganium eurycarpum, Eng.
Spartina cynosuroides, Willd.
Sporobolus airoides, Torr.
eryptandrus, Gray.
ramulosus, H. B. K.
Specularia perfoliata, A. DC.
Spiraea dumosa, Nutt.
Spiranthes Romanzoffiana, Ch.
Stachys cordata, Riddell.
Stanleya pinnatifida, Nutt.
Stellaria borealis, Bigel.
Jamesiana, Torr.
longipes, Goldie.
longifolia, Muhl.
umbellata, Turez.
Stipa spartea, Trin. *cornuta*
viridula, Trin.
viridula, Trin. ?
Streptopus amplexifolius, DC.
Suckleya petiolaris, Gray : very rare.
Swertia perennis, L. [rare].
Symporicarpus Oreophilus, G.
occidentalis, R. Br.
Synthyris alpina, Gray.
plantaginea, Benth.
Talinum teretifolium, Pursh.
Taraxacum palustre, DC.
Teloxys cornuta, Torr.
Thalictrum alpinum, L.
Fendleri, Gray.
purpuraseens, L.
sparsiflorum, Turez.
Thlaspi trachylepium, Gray
[very different forms.]
Thelesperma filifolium, Gray.
gracile, Gray.
Thermopsis fabacea, DC., var. *montana*, Gray.
Thlaspi alpestre, L.
Townsendia grandiflora, Nutt.
sericea, Hook.
Tradescantia Virginica, L.

Ligustrum
montanum

Xanthium strumarium, L.
var. *echinatum*, Gray.
Ximenesia encelioides, Cav.
Yucca angustifolia, Pursh.
Zinnia grandiflora, Nutt.
Zygadenus glaucus, Nutt.
Nuttallii, Gray.

Tragia stylaria, Torr.
Triaspis acuminata, Munroe.
monstrosa.
trinerviglumis.
Triticum *egilipoides*, Trecz.
Trifolium dasycarpum, T. & G.
nanum, Torr.
Parryi, Gray.
Triglochin palustre, L.
Trisetum alpestre?
spicatum.
subspicatum, Beauv.
var. *molle*, Gray.
Triticum repens, L.
var. *acutum*, Vasey.
var. *compactum*, Vasey.
caninum, L.
violaceum, Hornemann.
Trollius laxus, Salish.
Troximon aurantiacum, Gray.
cuspidatum, Pursh.
glaucum, Nutt.
glaucum, Nutt. ?

Urtica gracilis, Ait.
Usnea barbata, Fries.
Ustilago ureolarum, Tul.
Vaccinium eaesitosum, Mx.
Myrtillus, L.
Valeriana edulis, Nutt.
sylvatica, Richards.
Vaseya comata, Thurber.
Verbena Aubletia, L.
bracteosa, Mx.
hastata, L.
Veronica alpina, L.
Americana, Schw.
peregrina, L.
Vesicaria Ludoviciana, DC.
montana, Gray.
Viburnum pauciflorum, Pylai.
Vicia Americana, Muhl.
Vilfa cuspidata, Torr.
longifolia.
tricholepis, Torr.
Villanova chrysanthemoidea, G.
Viola biflora, L.
Canadensis, L.
canina, L.
eucullata, Ait.
delphinifolia, Nutt.
Nuttallii, Pursh.
palustris, L.
Vitis riparia, Mx.
Woodsia Oregana, Eaton.
scopulina, Eaton.
Xanthium strumarium, L.
var. *echinatum*, Gray.
Ximenesia encelioides, Cav.
Yucca angustifolia, Pursh.
Zinnia grandiflora, Nutt.
Zygadenus glaucus, Nutt.
Nuttallii, Gray.

H. N. PATTERSON, PRISTER, OQUAWKA, ILL.

Pseuderlea hypogaea

Sanicula
palustris.

QK 185 T65 878-81 ph

COLORADO FLORA.

The accompanying list includes (with the appendix) all the species and varieties collected by me in Colorado during the season of 1878. Most of the sets of 800 species were subscribed for before they were collected; six remain to be sold at the regular price of \$50.00, *delivered*. The specimens are carefully pressed and so well preserved that the colors of the flowers are preserved in almost every case. The whole collection has been carefully reviewed by Drs. Gray, Parry, Engelmann; by M. S. Bebb, Geo. Vasey, Willey, Peck, &c., and thus no pains have been spared to make the names correct. There will be found to be over 75 additions to Porter's "Flora," and species not in his "Flora" are therefore called "new to Colorado" as his work is the only one of consequence on the plants of Colorado. A few of these have been found by others, and a few are included in recent Government publications. There are seven new species and varieties in this collection, two of them named by Dr. Engelmann and five by Dr. Gray and Sereno Watson.

A number of specimens will remain after the sets are put up; persons can select from these such as they desire, at 10 cts. per specimen. Printed labels will accompany each species, stating the day and place of collection. Persons desiring specimens or sets should write at once.

MARCUS E. JONES, A. M.,
Grinnell, Iowa.

ADDENDA.

NEW SPECIES & VARIETIES.

The follow'g species are thought to be new by Dr. Gray, but are not yet named by him:

Bigelovia —

Bigelovia —

Draba streptocarpa, var. —

Erigeron —

Pentstemon —

Townsendia —

Two *Potamogetons* which Dr. Robbins' sudden death prevented from being named are still unnamed.

By adding the two new vars., this list will contain all new to science:

Juniperus communis, L., var. *humilis*, Eng.

Hemicarpha subsquarrosa, var. *squarrosa*, Eng.

Carex alpina, L.

atrata, L., var. *nigra*, Bt.

aurea, Nutt.

Backii, Boott.

Bonplandii, Kunth.

bromoides, Schk.

canescens, L.

capillaris, L.

disticha, Huds.

festiva, Dewey.

filifolia, Nutt.

Hookeriana, Dewey.

Jamesii, Torr., var.

lanuginosa, Mx.

limula, Fries.

(Not of Gray's Manual.)

nigricans, E. Meyer.

Pennsylvanica, Lam.

rigida, Good.

Rossii, Boott.

saxatilis, L. (*pulla*, Good.)

siccata, Dewey?

stenophylla, Wahl.

straminea, Schk., var. *tenu-*

era, Carey.

tenella, Schk.

trichocarpa, Muhl., v. *im-*

berbis, Carey.

utriculata, Boott.

GRASSES.

These grasses, together with those in the body of the list, have all been verified by Dr. Vasey, of Washington. In a private letter to me now before me he says: 'Your list of grasses is a very interesting and full one, including some that I have never seen before from Colorado.' Some of these he thinks may be new species—mostly among the doubtful ones in the list.

Agrostis vulgaris, With.

Aira caespitosa, L.

danthonioides, Trin.

Alopecurus alpinus, Smith.

Andropogon glaucus.

Atropis Californica, Munro.

Bromus Kalmii, Gray, var. *oc-*
cidentalis.

Brizypyrum spicatum, Hook.

Calamagrostis longifolia, Torr.
sylvatica, DC.

Daetylis glomerata, L.

Eatonia obtusata, Gray.

Elymus Virginicus, L., var.

Festuca brevifolia, Brown.

ovina, L.

Thurberi.

(The remainder of the grasses will be found in the body of the list.)

CORRECTIONS.

The following vars. were accidentally indented so as to appear like species:

Aristida purpurea, Nutt., var.

Fendleri.

Astragalus oroboides, Hornem..

var. *Americanus*, Gr.

A. pictus, Gr. var. *filifolius*, Gr.

Eriogonum microthecum, var.

Fendlerianum, Benth.

Juncus xiphioides, E. Mey., v.

montanus, Eng.

Var. *aretioides*, Hook., belongs under *Eritrichium villosum*.

TO BOTANISTS.

The call for my lists of 1878 has been so great that I have run short; and so have issued this reprint, which contains all corrections up to date. The genera are in the natural order, the species are not.

May 1, 1881.

MARCUS E. JONES, A. M.,

Salt Lake City, Utah.

FLORA OF COLORADO. 1878 and 1879.

COLLECTED BY MARCUS E. JONES, A. M.

<i>Clematis alpina</i> , Mill., var. <i>Ochotensis</i> , Gray.	<i>Silene acaulis</i> , L.	<i>Astragalus microlobus</i> , Gray.
<i>Douglasii</i> , Hook.	<i>antirrhina</i> , L.	<i>Missouriensis</i> , Nutt.
<i>ligusticifolia</i> , Nutt.	<i>Menziesii</i> , Hook.	<i>multiflorus</i> , Gray.
<i>Scottii</i> , Porter.	<i>Scouleri</i> , Hook.	<i>oroboides</i> , Hornem., var. <i>Americanus</i> , Gray.
<i>Anemone cylindrica</i> , Gray.	<i>Lychnis apetala</i> , L.	<i>Parryi</i> , Gray.
<i>dichotoma</i> , L.	<i>Drummondii</i> , Watson, var.	<i>pietus</i> , var. <i>filifolius</i> , Gray.
<i>multifida</i> , Poir.	<i>Saponaria Vacaria</i> , L.	<i>racemosus</i> , Pursh.
<i>patens</i> , L., var. <i>Nuttalliana</i> , Gray.	<i>Cerastium arvense</i> , L. [Regel.]	<i>Shortianus</i> , Nutt.
<i>Thalictrum alpinum</i> , L.	<i>alpinum</i> , L., var. <i>Behringianum</i> ,	<i>sparsiflorus</i> , Gray.
<i>Fendleri</i> , Engelm.	<i>nutans</i> , Raf., var. <i>brachypodium</i> , Engelm.	<i>triflorus</i> , Gray.
<i>purpurascens</i> , L.	<i>Stellaria borealis</i> , Bigel.	<i>Oxytropis campestris</i> , DC.
<i>sparsiflorum</i> , Turez.	<i>crassifolia</i> , Ehrh.	<i>deflexa</i> , DC.
<i>Myosurus minimus</i> , L.	<i>crispa</i> , Cham. & Schl. ?	<i>Lamberti</i> , Pursh.
<i>Ranunculus adoneus</i> , Gray.	<i>Jamesii</i> , Torr.	<i>multiceps</i> , Nutt.
<i>affinis</i> , R. Br., var. <i>cardiophylloides</i> , Gray.	<i>longipes</i> , Goldie.	<i>splendens</i> , Dougl.
var. <i>leiocarpus</i> , Traut.	<i>longifolia</i> , Muhl.	<i>Vicia Americana</i> , Muhl.
<i>aquatalis</i> , L., var. <i>stagnatilis</i> , DC.	<i>umbellata</i> , Turez.	var. <i>linearis</i> , Watson.
var. <i>trichophyllus</i> , Gray.	<i>Arenaria biflora</i> , var. <i>obtusa</i> , Watson.	<i>Lathyrus ornatus</i> , Nutt.
<i>Cymbalaria</i> , Pursh.	<i>congesta</i> , Nutt., var. <i>subcongesta</i> , Watson.	<i>paluster</i> , L.
<i>Flammula</i> , L., var. <i>reptans</i> , Mey.	<i>Fendleri</i> , Gray.	<i>polymorphus</i> , Nutt.
<i>hyperboreus</i> , Rottb., var. <i>natans</i> .	var. <i>diffusa</i> , Porter.	<i>Prunus Americana</i> , Marshall.
<i>Nuttallii</i> , Gray. [Regel.]	<i>lateriflora</i> , L.	<i>Chicosa</i> , Mx.
<i>repens</i> , L.	<i>verna</i> , L., var. <i>hirta</i> , Watson.	<i>Pennsylvanica</i> , L. f.
<i>scleratas</i> , L.	<i>Portulaca oleracea</i> , L.	<i>Virginiana</i> , L.
<i>Caltha leptosepala</i> , DC.	<i>Talinum teretifolium</i> , Pursh.	<i>Spiraea discolor</i> , Pursh.
<i>Trollius laxus</i> , Salisb.	<i>Calandrinia pygmæa</i> , Gray.	var. <i>dumosa</i> , Watson.
<i>Aquilegia brevistyla</i> , Hook.	<i>Claytonia Caroliniana</i> , Mx.	<i>Neillia opulifolia</i> , Benth. & Hook.
<i>caerulea</i> , James.	<i>Chamissonis</i> , Esch.	<i>Torreyi</i> , Watson.
<i>chrysanthra</i> , Gray.	<i>megarrhiza</i> , Parry.	<i>Rubus deliciosus</i> , James.
<i>Delphinium azureum</i> , Mx., var.	<i>Hypericum Scouleri</i> , Hook.	<i>strigosus</i> , Mx.
<i>bicolor</i> , Nutt.	<i>Sidalcea malvaeflora</i> , Gray.	<i>Cereocarpus parvifolius</i> , Nutt.
<i>occidentale</i> , Watson.	<i>Malvastrum coccineum</i> , Gray.	<i>Dryas octopetala</i> , L.
<i>scopulorum</i> , Gray.	<i>Sphaeralcea angustifolia</i> , Spach.	<i>Fallugia paradoxa</i> , Endl.
<i>Aconitum Columbianum</i> , Nutt.	<i>Linum perenne</i> , L.	<i>Geum Rossii</i> , Seringe.
<i>Actaea spicata</i> , L., var. <i>arguta</i> , Torr.	<i>Geranium Fremonti</i> , Torr.	var. <i>molle</i> , T. & G.
<i>Berberis repens</i> , Lindl.	<i>Richardsoni</i> , F. & M.	<i>macrophyllum</i> , Willd.
<i>Argemone hispida</i> , Gray.	<i>Oxalis corniculata</i> , L., v. <i>strieta</i> , Sav.	<i>strictum</i> , Ait.
<i>Corydalis aurea</i> , Willd., var. <i>occidentalis</i> , Gray.	<i>Pachystima Myrsinites</i> , Raf.	<i>triflorum</i> , Pursh.
<i>Draba alpina</i> , L.	<i>Ceanothus Fendleri</i> , Gray.	<i>rivale</i> , L.
<i>androsacea</i> , Wahl.	<i>ovatus</i> , Bigel.	<i>Fragaria vesca</i> , L.
<i>aurea</i> , Vahl.	<i>velutinus</i> , Dougl.	<i>Virginiana</i> , Duchesne. (f. typ.)
<i>Caroliniana</i> , Walt., var. <i>mierannergrassifolia</i> , Grah. [tha, Gray.]	<i>Vitis riparia</i> , Mx.	<i>Potentilla Anserina</i> , L.
<i>euneifolia</i> , Nutt.	<i>Ampelopsis quinquefolia</i> , Mx.	<i>arguta</i> , Pursh.
<i>nemorosa</i> , L., var. ?	<i>Acer glabrum</i> , Torr.	<i>fruticosa</i> , L.
<i>stenoloba</i> , Ledeb.	<i>Negundo aceroides</i> , Moench.	<i>glandulosa</i> , Lindl.
<i>streptocarpa</i> , Gray.	<i>Rhus aromatica</i> , Ait., var. <i>trilobata</i> , Gray.	<i>gracilis</i> , Dougl.
var., new.	<i>glabra</i> , L.	<i>Hippiana</i> , Lehm.
<i>Cardamine cordifolia</i> , Gray.	<i>Toxicodendron</i> , L.	var. <i>pulcherrima</i> , Watson.
<i>Arabis Drummondii</i> , Gray.	<i>Thermopsis montana</i> , Nutt.	<i>humifusa</i> , Nutt.
<i>hirsuta</i> , Scop.	<i>Sophora sericea</i> , Pursh.	<i>nivea</i> , L.
<i>perfoliata</i> , Lam.	<i>Lupinus argenteus</i> , Pursh.	<i>Norvegica</i> , L.
<i>Stanleya pinnatifida</i> , Nutt.	var. <i>argophyllum</i> , Watson.	<i>Pennsylvanica</i> , L., var. <i>strigosa</i> , [Pursh.]
<i>Erysimum asperum</i> , DC., var. <i>Arkansanum</i> , Gray.	<i>cæspitosus</i> , Nutt. Fruit.	<i>Plattensis</i> , Nutt.
<i>pumilum</i> , Nutt.	<i>parviflorus</i> , Nutt.	<i>supina</i> , L.
<i>cheiranthoides</i> , L.	<i>pusillus</i> , Pursh.	<i>Sibbaldia procumbens</i> , L.
<i>Sisymbrium canescens</i> , Nutt.	<i>Trifolium dasypodium</i> , T. & G.	<i>Agrimonia Eupatoria</i> , L.
<i>incisum</i> , Engelm.	<i>nanum</i> , Torr.	<i>Rosa blanda</i> , Ait.
" var.	<i>Parryi</i> , Gray.	<i>Pirus sambucifolia</i> , Ch. & Sch.
<i>Smelowskia calycina</i> , Meyer.	<i>pratense</i> , L.	<i>Crataegus rivularis</i> , Nutt.
<i>Nasturtium obtusum</i> , Nutt.	<i>repens</i> , L.	<i>Douglasii</i> , Lindl.
<i>officinale</i> , R. Br.	<i>Medicago sativa</i> , L.	<i>Amelanchier alnifolia</i> , Nutt.
<i>palustre</i> , DC.	<i>Psoralea argophylla</i> , Pursh.	<i>Saxifraga bronchialis</i> , L.
<i>sinuatum</i> , Nutt.	<i>hypogaea</i> , Nutt.	<i>cæspitosa</i> , L.
<i>Vesicaria Ludoviciana</i> , DC.	<i>lanceolata</i> , Pursh.	<i>cernua</i> , L.
<i>montana</i> , Gray.	<i>tenuiflora</i> , Pursh.	<i>chrysantha</i> , Gray.
<i>Camelina sativa</i> , Crantz.	<i>Amorpha fruticosa</i> , L.	<i>debilis</i> , Eng.
<i>Capsella Bursa-pastoris</i> , Moench.	<i>Dalea Jamesii</i> , T. & G.	<i>flagellaris</i> , Willd.
<i>Thlaspi alpestre</i> , L.	<i>Petalostemon candidus</i> , Mx.	<i>Jamesii</i> , Torr.
<i>Lepidium intermedium</i> , Gray.	<i>maerostachys</i> , Torr.	<i>nivalis</i> , L.
" ?	<i>violaceus</i> , Mx.	<i>punctata</i> , L.
<i>montanum</i> , Nutt.	<i>Glycyrrhiza lepidota</i> , Pursh.	<i>rivularis</i> , L.
<i>Virginicum</i> , L.	<i>Astragalus aboriginum</i> , Rich.	<i>tricuspidata</i> , Retz.
<i>Physaria didymocarpa</i> , Gray.	<i>adsurgens</i> , Pall.	<i>Mitella pentandra</i> , Hook.
<i>Polanisia trachysperma</i> , T. & G.	<i>alpinus</i> , L.	<i>Heuchera bracteata</i> , Seringe.
<i>Cleome integrifolia</i> , T. & G.	<i>bisulcatus</i> , Gray.	<i>Hallii</i> , Gray.
<i>Helianthemum</i> —	<i>campestris</i> , Gray.	<i>parvifolia</i> , Nutt.
<i>Viola biflora</i> , L.	<i>Canadensis</i> , L.	<i>Parnassia parviflora</i> , DC.
<i>Canadensis</i> , L.	<i>caryocarpus</i> , Ker.	<i>Jamesia Americana</i> , T. & G.
<i>canina</i> , L.	<i>decumbens</i> , Gray.	<i>Ribes aureum</i> , Pursh.
<i>cucullata</i> , Ait.	<i>Drummondii</i> , Dougl.	<i>cereum</i> , Dougl.
<i>delphinifolia</i> , Nutt.	<i>flexuosus</i> , Dougl.	<i>laevigatum</i> , Poir.
<i>Nuttallii</i> , Pursh.	<i>hypoglottis</i> , L.	<i>leptanthum</i> , Gray.
<i>palustris</i> , L.	<i>juncceus</i> , Gray.	<i>oxyacanthoides</i> , L.

Sedum rhodanthum, Gray.
Rhodiola, DC.

- Sedum stenopetalum, Pursh.
Ammannia latifolia, L.
Lythrum alatum, Pursh.
Hippuris vulgaris, L.
Epilobium alpinum, L.
 angustifolium, L.
 coloratum, Muhl.
 latifolium, L.
 organifolium, Lam.
 palustre, L.
Gayophytum racemosum, T. & G.
 ramosissimum, T. & G.
Enothera albicaulis, Nutt.
 biennis, L.
 breviflora, T. & G.
 cæspitosa, Nutt.
 " (Caulescent form.)
 coronopifolia, T. & G.
 pinnatifida, Nutt.
 serrulata, Nutt.
Gaura coccinea, Nutt.
 parviflora, Dougl.
Circæa Pacifica, Asch. & Mag.
Mentzelia albicaulis, Dougl.
 multiflora, Gray.
 nuda, T. & G.
Cucurbita perennis, Gray.
Echinocystis lobata, T. & G.
Cerens viridiflorus, Engelm.
Opuntia Missouriensis, DC.
Mollugo verticillata, L.
Sanicula Marylandica, L.
Carum Gairdneri, B. & H.
Berula angustifolia, Koch.
Cieuta maeulata, L.
 (?) trachypleura, Watson.
Osmorrhiza nuda, Torr.
Ligusticum apiifolium, B. & H.
 montanum, Gray.
 scopulorum, Gray.
Archangelica atropurpurea, Hoffm.
 Gmelini, DC.
Cymopterus alpinus, Gray.
 glomeratus, Raf.
 montanus, T. & G.
 (?) anisatus, Gray.
Musenium divaricatum, Nutt.
Archemora Fendleri, Gray.
Peucedanum nudicaule, Nutt.
Heracleum lanatum, Mx.
Aralia nudicaulis, L.
Cornus stolonifera, Mx.
Adoxa Moschatellina, L.
Sambucus racemosa, L.
Viburnum pauciflorum, Pylae.
Linnæa borealis, Gronov.
Symphoricarpus oreophilus, Gray.
 occidentalis, R. Br.
Lonicera involucrata, Banks.
Galium boreale, L.
 triflorum, Mx.
Valeriana edulis, Nutt.
 sylvatica, Richards.
Liatris punctata, Hook.
 seariosa, Willd. ? (Probably dis-
Eupatorium purpureum, L. [inert.]
Kuhnia eupatorioides, L.
 var. gracilis, T. & G.
Brickellia Wrightii, Gray.
 grandiflora, Nutt.
Gutierrezia Euthamiae, T. & G.
Grindelia squarrosa, Dunal.
Chrysopsis villosa, Nutt., 3 vars.
Nardosmia sagittata, Hook.
Aplopappus Fremontii, Gray.
 inuloides, T. & G.
 Parryi, Gray.
 pygmaeus, Gray.
 spinulosus, DC.
Bigelovia Bigelovii, Gray.
 Douglasii, Gray.
 var. latifolia, Gray.
 var. tortifolia, Gray.
 graveolens, Gray, and vars.
 Greenei, Gray.
 Howardii, Gray.
 Parryi, Gray.
 new.
Solidago lanceolata, L.
 Missouriensis, Nutt.
 Canadensis, L.
 nemoralis, Ait.
 var. mollis, Bartl. (?)
 var. ? (peculiar form.)
 speciosa, Nutt., var. angustata.
 Gray? (Gray.)
 humilis, Pursh.
Virga-aurea, L. (typical form.)
 var. multiradiata, T. & G.
 var. alpina, Big.
Solidago rigida, L.
 gigantea, Ait.? (Gray.)
Townsendia grandiflora, Nutt.
 sericea, Hook.
 strigosa, Nutt.
Aster adscendens, Lindl.
 var. ciliatifolius, T. & G.
 var. Fremontii, T. & G.
 var. Parryi, Eaton.
 canescens, Pursh.
 var. latifolia, Gray.
Coloradoensis, Gray.
ericæfolius, Rothr.
ericoides, L. var. strictus, Porter.
Fendleri, Gray.
glacialis, Nutt.
glaucus, T. & G.
laevis, L.
multiflorus, Ait.
 var. commutatus, Gray.
Novæ-Angliae, L.
Nuttallii, T. & G.
ptarmicoides, T. & G.
salsuginosus, Rich.
tanaeetifolius, HBK.
Erigeron annuus, Pers.
armeriæfolius, Tarez.
Bellidiastrum, Nutt.
Canadensis, L.
canus, Gray.
compositus, Pursh.
concinus, T. & G.
divergens, T. & G.
flagellaris, Gray.
glandulosus, Porter.
maeranthus, Nutt.
ursinus, Eaton.
uniflorus, L.
new species.
Antennaria alpina, Gærtn.
 Carpathica, R. Br. var. pulcherrima, Hook.
 dioica, Gærtn.
Gnaphalium Sprengelii, H. & A.
 strictum, Gray.
Pericome caudata, Gray.
Melampodium cinereum, DC.
Iva axillaris, Pursh.
 xanthiifolia, Gray.
Ambrosia psilostachya, DC.
 trifida, L.
Franseria Hookeriana, Nutt.
 tenuifolia, Gray.
Xanthium strumarium, L.
 var. echinatum, Gray.
Rudbeckia hirta, L.
 laciniata, L.
Verbesina encelioides, Benth. & Hk.
Zinnia grandiflora, Nutt.
Lepachys columnaris, T. & G.
 var. Tagetes, Gray.
Heliopsis laevis, Pers.
Thelesperma filifolium, Gray.
 gracile, Gray.
Heliomeris multiflora, Nutt.
Helianthus annuus, L.
 Nuttallii, Gray.
 petiolaris, Nutt.
 pumilus, Nutt.
 " ?
 rigidus, Desf.
Bidens chrysanthemoides, Mx.
 frondosa, L.
 bipinnata, L.
Babia oppositifolia, T. & G.
Villanova chrysanthemoides, Gray.
Chænaea Douglasii, Hook. & Arn.
Hymenopappus tenuifolius, Pursh.
Gaillardia aristata, Pursh.
 pinnatifida, Torr.
Helenium autumnale, L.
Actinella acaulis, Nutt.
 grandiflora, T. & G.
 Richardsonii, Nutt.
 seaposa, Nutt.
Dysodia chrysanthemoides, Lag.
Pectis angustifolia, Torr.
Lowellia aurea, Torr.
Achillea Millefolium, L.
Artemisia biennis, L.
 Canadensis, Mx.
 dracunculoides, Pursh.
 filifolia, Torr.
 frigida, Willd.
 glomerata, Gray.
 Ludoviciana, Nutt., typical form
 and 3 varieties.
Norvegica, Fries.
scopulorum, Gray.
tridentata, Pursh.
Senecio amplectens, Gray.
 var., new
Andinus, Nutt.
aureus, L., var. croceus, Gray.
 var. Balsamitæ, T. & G.
 var. obovatus, T. & G.
canus, Hook.
cerpus, Gray.
eremophilus, Richards.
filifolius, Nutt., var. Jamesii.
integerrimus, Hook.? [T. & G.
Fremontii, T. & G.
longilobus, Benth.
lugens, Rich., var. Hookeri, Eat.
 var. foliosus, Gray.
rapifolius, Gray.
triangularis, Hook.
Arnica alpina, Murr., Laestad.
 cordifolia, Hook.
 latifolia, Bong.
 mollis, Hook.
Cnicus Drummondii, var. acaulescens,
 ericephalus, Gray. [Gray.
 Parryi, Gray.
 undulatus, Gray.
 var. ochrocentrus, Gray.
Crepis acuminata, Nutt.
 runcinata, T. & G.
Troximon aurantiacum, Hook.
 cuspidatum, Pursh.
 glaucum, Nutt.
 " ?
Taraxacum palustre, DC.
Hieracium triste, Willd.
Lygodesmia juncea, Don.
Lactuca Ludoviciana, DC.
 puleghella, DC.
Nabalus racemosus, Hook.
Sonchus asper, Villars.
Lobelia syphilitica, L.
Specularia perfoliata, A. DC.
Campanula uniflora, L.
 rotundifolia, L.
 Scheuchzeri, Vill.
Vaccinium cæspitosum, Mx.
 Myrtillus, L.
Aretostaphylos Uva-ursi, Spreng.
Pyrola rotundifolia, L.
 secunda, L.
Dodecatheon Meadia, L.
Primula angustifolia, Torr.
 Parryi, Gray.
Androsace septentrionalis, L.
Steironema ciliatum, Raf.
Apocynum androsæmifolium, L.
 cannabinum, L.
Asclepias Hallii, Gray.
 incarnata, L.
 Jamesii, Torr.
 ovalifolia, Decne.
 speciosa, Torr.
 tuberosa, L.
 verticillata, L. var. pumila, Gray.
Acerates auriculata, Engelm.
Gentiana affinis, Griseb.
 Amarella, L. var. acuta, Hook. f.
 barbellata, Engelm.
 frigida, Hænke, var. algida, Pall.
 humilis, Stev.
 Parryi, Engelm.
Pl. urogyne rotata, Griseb.
Swertia perennis, L.
Frasera speciosa, Dougl.
Phlox cæspitosa, Nutt., var. condensata, Gray.
 longifolia, Nutt.
Collomia aggregata, Porter.
 gracilis, Dougl.
 linearis, Nutt.
 longiflora, Gray.
Gilia congesta, Hook., var. cerebrifolia, Gray.
 inconspicua, Dougl.
 pinnatifida, Nutt.
 pungens, Benth.
Polemonium cæruleum, L.
 confertum, Gray.
 var. mellitum, Gray.
 foliosissimum, Gray.
 humile, Willd., v. pulchellum, Gr.
Hydrophyllum occidentale, var. Fendleri, Gray.
Ellisia Nyctelea, L.
Phacelia circinata, Jacq. f.
 glandulosa, Nutt.
 sericea, Gray.
Heliotropium Curassavicum, L.
Onosmodium molle, Mx.
Lithospermum angustifolium, Mx.
 multiflorum, Torr.

- Echinospermum floribundum*, Lehm.
Redowskii, Lehm., var. *occidentale*, Watson.
Eritrichium nanum, Schrad., var. *arctoides*, Herder.
Californicum, DC., var. *subglobosum*, Gray.
crassipespalum, T. & G.
glomeratum, DC.
var. *virgatum*, Porter.
Jamesii, Torr.
leiocarpum, Watson.
Mertensia alpina, Don.
lanceolata, DC.
Sibirica, Don.
Ipomoea leptophylla, Torr.
Convolvulus sepium, L.
incanus, Vahl.
Evolvulus argenteus, Pursh.
Cuscuta decora, Choisy.
curta, Engelm.
Solanum nigrum, L.
rostratum, Dunal.
triflorum, Nutt.
Physalis lobata, Torr.
lanceolata, Mx.
pubescens, L.
Linaria Canadensis, Dumont.
Collinsia parviflora, Dougl.
Serophularia Californica, Cham.
Pentstemon acuminatus, Dougl.
albidus, Nutt.
cæruleus, Nutt.
glaber, Pursh.
var. *cyananthus*, Gray.
glaucus, Grub.
Hallii, Gray.
humilis, Nutt.
secundiflorus, Benth.
new.
gracilis, Nutt.
Chionophila Jamesii, Benth.
Mimulus floribundus, Dougl.
Jamesii, T. & G., var. *Fremontii*,
Benth.
luteus, L.
Gratiola Virginiana, L.
Limosella aquatica, L.
Synthyris alpina, Gray.
plantaginea, Benth.
Veronica alpina, L.
Americana, Schw.
peregrina, L.
Gerardia tenuifolia, Vahl., var. *macrophylla*, Benth.
Castilleja breviflora, Gray.
integra, Gray.
linariæfolia, Benth.
pallida, Kunth., and 2 varieties.
sessiliflora, Pursh.
Orthocarpus luteus, Nutt.
Pedicularis bracteosa, Benth.
Canadensis, L.
erenulata, Benth.
Greenlandica, Retz.
Parryi, Gray.
procera, Gray.
racemosa, Dougl.
scopulorum, Gray.
Aphyllon fasciculatum, Gray.
Verbena Aubletia, L.
bracteosa, Mx.
hastata, L.
Lippia cuneifolia, Steud.
Mentha Canadensis, L.
Lycopus sinuatus, Ell.
Hedeoma Drummondii, Benth.
hispida, Pursh.
Salvia lanceolata, Willd.
Monarda fistulosa, L.
Lophanthus anisatus, Benth.
Dracocephalum parviflorum, Nutt.
Scutellaria resinsosa, Torr.
Brunella vulgaris, L.
Stachys cordata, Riddell.
Plantago eriopoda, Torr.
Patagonica, Jacq., var. *gnaphalioides*, Gray.
var. *aristata*, Gray.
Mirabilis oxybaphoides, Gray.
Oxybaphus hirsutus, Sweet.
nyctagineus, Sweet.
var. *Cervantesii*, Gray.
angustifolius, Sweet.
Abronia fragrans, Nutt.
micrantha, Torr.
Paronychia Jamesii, T. & G.
pulvinata, Gray.
sessiliflora, Nutt.
Oxyria digyna, Camp.
- Rumex Acetosella*, L.
occidentalis, Watson.
crispus, L.
salicifolius, Weinm.
venosus, Pursh.
Polygonum Muhlenbergii, Watson.
amphibium, L., var. *aquaticum*,
erectum, L. [Willd.
lapathifolium, Ait., var. *incanum*, Koch.
acre, HBK.
aviculare, L.
Bistorta, L., var. *linearifolium*,
Watson.
var. *oblongifolium*, Meisn.
Pennsylvanicum, L.
Convolvulus, L.
dumetorum, L.
incarnatum, Ell.
ramosissimum, Mx.
tenue, Mx.
viviparum, L.
Eriogonum alatum, Torr.
annuum, Nutt.
corymbosum, Benth.
cernuum, Nutt.
flavum, Nutt.
Jamesii, Benth.
" var.?
microthecum, Nutt., var. *Fendlerianum*, Benth.
var. *effusum*, T. & G.
pauciflorum, Pursh.
umbellatum, Torr.
Amarantus albus, L.
blitoides, Watson.
retroflexus, L.
Montelia tamariscina, Gray.
Alternanthera (?) lanuginosa, Torr.
Froelichia Floridana, Moq.
Sarcobatus vermiculatus, Torr.
Suaeda intermedia, Watson.
depressa, var. *erecta*, Watson.
Teloxys cornuta, Torr.
Cycloloma platyphyllum, Moq.
Chenopodium album, L.
Botrys, L.
Fremontii, Watson.
hybridum, L.
leptophyllum, Nutt.
Blitum capitatum, L.
Monolepis chenopodioides, Moq.
Atriplex argentea, Nutt.
canescens, James.
confertifolia, Watson.
patula, L.
Eurotia lanata, Moq.
Corispermum hyssopifolium, L.
Suckleya petiolaris, Gray: very rare.
Shepherdia Canadensis, Nutt.
Comandra pallida, DC.
Urtica gracilis, Ait.
Parietaria Pennsylvanica, Muhl.
Humulus Lupulus, L.
Euphorbia dictyosperma, F. & M.
Fendleri, T. & G.
glyptosperma, Engelm.
dentata, Mx.
marginata, Pursh.
montana, Engelm.
petaloidea, Engelm.
revoluta, Engelm.
serpyllifolia, Pers.
stictospora, Engelm.
Tragia stylaria, Torr.
Croton Texensis, Muhl.
Argythamnia humilis, Muhl.
Callitrichæ verna, L.
Betula glandulosa, Mx.
occidentalis, Hook.
Alnus incana, Willd., var. *virescens*,
Watson.
Salix arctica, Pall., var. *petricæ*, And.
chlorophylla, And.
cordata, Muhl.
desertorum, And.
longifolia, Muhl., var. *argyrophylla*, And.
irrorata, And.
nigra, Marshall, var. *amygdaloïdes*, And.
Novæ-Angliæ, var. *pseudo-cordeticulata*, L. [ata, And.
rostrata, Richards.
Populus balsamifera, L., var. *candicans*, Gray.
angustifolia, James.
tremuloides, Mx.
Quercus undulata, var. *Gunnisoni*,
Corylus rostrata, Ait. [Torr.
- Areeuthobium robustum*, Engelm.
Juniperus occidentalis, Hook.
communis, L., var. *humilis*, Eng.
Virginiana, L.
Abies concolor, Lindl.
subalpina, Engelm.
Pseudotsuga Douglasii, Carr.
Picea pungens, Engelm.
Engelmanni, Parry.
Pinus aristata, Engelm.
contorta, Engelm.
flexilis, James.
ponderosa, Dougl.
edulis, Engelm.
Habenaria hyperborea, Gray.
obtusata, Lindl.
 dilatata, Gray.
Spiranthes Romanzoffiana, Cham.
Listera cordata, R. Br.
Iris Missouriensis, Nutt.
Sisyrinchium mucronatum, Mx.
Allium cernuum, Roth.
reticulatum, Fras.
Nuttallii, Watson.
Leucocrinum montanum, Nutt.
Smilacina amplexicaulis, Nutt.
stellata, Desf.
Yucca angustifolia, Pursh. (Fls. and
fruit, no leaves.)
Lilium Philadelphicum, L.
Lloydia serotina, Reich.
Calochortus Gunnisoni, Watson.
Streptopus amplexifolius, DC.
Zygadenus elegans, Pursh.
Nuttallii, Gray.
Smilax herbacea, L., var. *inodora*,
Jones.
Sparganium eurycarpum, Engelm.
Lemna minor, L.
Zannichellia palustris, L.
Potamogeton natans, L.
pectinatus, L.
rufescens, Schrad.
panciflorus, Pursh.
Triglochin palustre, L.
Alisma Plantago, L., var. *Americanum*, Gray.
Sagittaria variabilis, Engelm.
Luzula spadicea, DC., var. *parviflora*,
Ledeb.
var. *congesta*, Engelm. (ms.)
spicata, Desv.
Juncus alpinus, Vill.
Balticus, Deth., var. *montanus*.
bufonius, L. [Engelm.
Drummondii, E. Meyer.
longistylis, Torr.
Mertensianus, Meyer.
nodosus, L., var. (near to typical form.)
var. *megacephalus*, Torr.
tenuis, Willd.
var. *congestus*, Engelm.
triglumis, L.
xiphoides, E. Meyer, var. *montanus*, Engelm.
Tradescantia Virginica, L.
Cyperus inflexus, Muhl.
Schweinitzii, Torr.
filiculmis, Vahl.
Scirpus pauciflorus, Lightf.
pungens, Vahl.
lacustris, L., var. *occidentalis*,
Watson.
atrovirens, Muhl.
Eriophorum polystachyon, L.
Hemicarpha subsquarrosa, Nees, var.
squarrosa, Engelm.
Eleocharis acicularis, R. Br.
palustris, R. Br.
Elyna spicata, Schk.
Carex alpina, L.
aquatilis, Wahl.
atrata, L., var. *nigra*, Boott.
aurea, Nutt.
Backii, Boott.
Bonplandii, Kunth, var. *angustifolia*, Boott.
bromoides, Schk.
canescens, L.
capillaris, L.
disticha, Huds.
festiva, Dewey.
filifolia, Nutt.
lanuginosa, Mx.
limula, Fries. (Not of Gray's
nigricans, E. Meyer. [Manual.]
Pennsylvanica, Lam.
rigida, Good.
Rossii, Boott.

- Carex saxatilis*, L. (pulla, Good.)
siccata, Dewey.
stenophylla, Wahl.
straminea, Schk.
var. *tenuera*, Carey.
var. *minor*, Dewey.
tenella, Schk.
trichocarpa, Muhl., var. *imberbis*
triculata, Boott. [is, Carey.
Pyrenaica, Wahl.
Hallii, Olney.
affinis, R. Br.
mareida, Boott.
Hoodii, Boott.
stellulata, L., var. *scirpoides*,
Liddoni, Boott. [Carey.
scoparia, Schk.
Jamesii, Torr.
var. (Not *C. Nebrascensis*).
verticillata, Boott.
striata, Lam.
flava, L., var. *Ederi*, W. Boott.
Panicum capillare, L.
Crus-galli, L.
dichotomum, L.
pauciflorum, Ell.
virgatum, L.
Setaria Italica, Kunth.
viridis, Beauv.
caudata, R. & S.
Cenchrus tribuloides, L.
Leersia oryzoides, Swartz.
Alopecurus aristulatus, Mx.
alpinus, Smith.
Phleum alpinum, L.
pratense, L.
Beckmannia erucaeformis, Host.
Hierochloa borealis, R. & S.
Phalaris arundinacea, L.
Canariensis, L.
Vilfa cuspidata, Torr.
longifolia.
tricholepis, Torr.
Sporobolus airoides, Torr.
erytandrus, Gray.
ramulosus, Kunth.
asperifolius, Thurber.
Agrostis seabrai, Willd.
varians, Trin.
vulgaris, With.
Muhlenbergia gracilis, Gray.
var. *Fendleri*, Vasey.
gracillima, Torr.
glomerata, Trin. ? = "1986, C.
Wright; collected in New Mexico
by Wright and ticketed as above
but I think must be a new species."
sylvatica, T. & G. [Vasey.
Texana, Thurb.
Vaseya comata, Thurb.
Calamagrostis Canadensis, Beauv.
striata, Trin.
longifolia, Torr.
sylvatica, DC.
Oryzopsis asperifolia, Mx.
mierantha, Thurb.
Erioeoma cuspidata, Nutt.
Stipa comata, Trin. & Rup.
spartea, Trin.
viridula, Trin.
" var.
pennata, L. v. *Americana*, Vasey.
Aristida purpurea, Nutt., var. *Fendleriana*, Vasey.
var. *longiseta*, Vasey.
Spartina cynosuroides, Willd.
- Bouteloua curtipendula*, Gray.
oligostachya, Torr.
Buehloe daebyloides, Engelm.
Munroa squarrosa, Torr.
Leptochloa fascicularis, Gray.
Plenaphis Jamesii, Torr.
Danthonia sericea, Nutt.
Avena striata, Mx.
Trisetum alpestre, Beauv.
spicatum.
subspicatum, Beauv.
var. *molle*, Gray.
Aira caespitosa, L., var. *arctica*, Vasey.
var. *montana*, Vasey.
Trienspis acuminata, Munro.
monstrosa.
trinerviglumis.
Dactylis glomerata, L.
Koeleria cristata, Pers.
Eatonia obtusata, Gray.
Melica bulbosa, Geyer.
Glyceria aquatica, Beauv.
nervata, Trin.
Catabrosa aquatica, Beauv.
Distichlis maritima, Raf.
var. *stricta*, Thurb.
Atropis Californica, Munro.
distans, Griseb. (*Glyceria airoides*, Thurb.; *G. maritima*, Reichenb.)
Poa trivialis, L.
abbreviata, R. Br.
tenuifolia, Thurb.
" ?
alpina, L.
" ?
arctica, R. Br. ?
cæsia, Smith.
" ?
" var. *strictior*, Gray.
flexuosa, Muhl., var. ?
" var. *occidentalis*, Gray.
laxa, Hänke.
pratensis, L.
" ?
" var.
serotina, Ehrh.
Eragrostis poaeoides, Beauv., var.
megastachya, Gray.
Purshii, Bernh.
Festuea tenella, Willd.
ovina, L.
var. *duriuseula*, Gray.
var. *brevifolia*, Watson.
Thurberi, Vasey.
Bromus secalinus, L.
Kalmii, Gray, var. *occidentalis*.
ciliatus, var. *purgans*, L.
Ceratochloa breviaristata, Hook.
Lepturus paniculatus, Nutt.
Triticum caninum, L.
— between *caninum* and *repens*.
repens, L.
" Double spikelets.
var. *aeutum*, Vasey.
var. *compactum*, Vasey.
violaceum, Hornem.
strigosum, Less.
Hordeum nodosum, L.
pratense, Hudson.
Elymus arenarius, L.
Canadensis, L.
Sitanion, Schult.
condensatus, Presl., var. *triticoides*, Thurb.
Virginicus, L., var., new.
- Elymus Sibiricus*, L.
Andropogon glaucus.
scoparius, Mx.
Sorghum avenaceum, Chapm. ?
Equisetum arvense, L.
pratense, Ehrh.
laevigatum, Braun.
Polypodium vulgare, L. (A very reduced form, alt. 8,800 feet.)
Pteris aquilina, L.
Cheilanthes Fendleri, Hook.
lanuginosa, Nutt.
Eatoni, Hook.
Notholæna Fendleri, Kunze.
Pellæa atropurpurea, Link.
Cryptogramme acrostichoides, R. Br.
Aspidium Filix-mas, Swartz.
Asplenium Trichomanes, L.
septentrionale, L.
Cystopteris fragilis, Bernh.
Woodsia Oregana, Eaton.
scopulina, Eaton.
Selaginella rupestris, Spring.
Chara, two species not named.
Dieranum virens, Hedw.
Didymodon rubellus, Br. Eur.
Hedwigia ciliata, Ehrh.
Encalypta vulgaris, L.
Funaria hygrometrica, Hedw.
Bryum pendulum, Schimp.
intermedium, W. & M.
bimum, Schreb.
pyriforme, L.
Timmia megapolitana, Hedw.
Pogonatum alpinum, Brid., var. *campanulatum*.
Aulacomnion palustre, Schwaegr.
Hypnum uncinatum, Hedw.
rugosum, Ehrh.
abietinum, L.
Marchantia polymorpha, L.
Evernia vulpina, Wulf.
Placodium elegans, (Link) Nyl.
Peltigera aphthosa, Hoffm.
Usnea barbata, Fries.
Claydonia turgida, Hoffm.
fimbriata.

FUNGI.

- Puccinia Physalidis*, Peck n. sp.
Uromyces excavatus, DC.
hyalinus, Peck.
Lupini, B. & C.
Trichobasis Leguminosarum, Link.
gaurinum, Peck n. sp.
Sorosporium Astragali, Peck n. sp.
atrum, Peck n. sp.
Coleosporium miniatum, Bon.
Æcidium Euphorbiæ, Pers.
hemisphaericum, Peck.
gaurina, Peck n. sp.
Psoraleæ, Peck.
Microsphaeria holosericea, Lev.
Sphaerella megastoma, Peck n. sp.
Erysiphe communis?
Melampsora Hartigii, Thum.
Ustilago ureolarum, Tul.

KANSAS PLANTS.

- Viola pubescens*, Ait., var. *eriocarpa*,
Nutt. (Fruit.)
Æsculus arguta, Buckl.
Astragalus mollissimus, Torr.